

IT'S **TIME TO BALE**




plus+

THE POWER OF A LEADER

- Range recommended by professionals
- Uniform weights and performances
- Versatility + High Resistance
- Colors



REFERENCES	WEIGHT/SPOOL	METRES SPOOL	TENSILE STRENGTH KGF	KNOT STRENGTH
T110 HD	10,3 Kg	1030 m	450	250
T130	9 Kg	990 m	382	218
T150	9 Kg	1143 m	321	189
T300	5 Kg	1350 m	156	89
T600	5 Kg	2900 m	72	41



IT'S  TIME TO BALE




THE BRAND YOU CAN TRUST

- 30 years of market experience
- Suitable for all bailing conditions
- Efficiency and consistency
- Colors



REFERENCES	WEIGHT/SPOOL	METRES SPOOL	TENSILE STRENGTH KGF	KNOT STRENGTH
T110 HD	10,3 Kg	1030 m	450	250
T130	9 Kg	990 m	382	218
T150	9 Kg	1143 m	321	189
T300	5 Kg	1350 m	156	89
T600	5 Kg	2900 m	72	41





IT'S 
TIME TO BALE

MAX2TWINE

A NEW GENERATION OF TWINE

- Efficient and profitable.
- Fewer spool changes.
- Saves time.




18%
+LENGTH

MAX +STRENGTH +LENGTH

REAL RUNNAGE	WEIGHT/SPOOL	METRES SPOOL	TENSILE STRENGTH KGF	KNOT STRENGTH
130 m/Kg	10 Kg	1300 m	338	200
150 m/Kg	10 Kg	1500 m	293	173



IT'S 
TIME TO BALE



BLACK LABEL TWINE

TAKING CARE OF TOMORROW'S AGRICULTURE

- Environmentally friendly.
- Increased levels of UV protection.



For big and
medium bales.



TECHNOLOGY +ENVIRONMENT

REFERENCES	WEIGHT/SPOOL	METRES SPOOL	TENSILE STRENGTH KGF	KNOT STRENGTH
T130	9 Kg	990 m	382	218
T150	9 Kg	1143 m	321	189
T300	5 Kg	1350 m	156	89